

Some of functions or features may not be worked without such cookies, such as cookies storing your sign-up information and preferred language on your computer.

Also, ASUS uses some analytics, targeting and adverting cookies provided by third parties. Please choose "YES" to accept or "NO" to reject "third party cookies" by clicking one of below buttons. For detailed information, please visit [ASUS Privacy Policy- "Cookies and similar technologies"](#).

YES

NO

Products

What's Hot

Commercial

Service

ROG

#### **CPU** Intel® Socket 1155 for 2<sup>nd</sup> Generation Core™ i7/Core™ i5/Core™ i3 Processors

Supports Intel® 32 nm CPU

Supports Intel® Turbo Boost Technology 2.0

\* The Intel® Turbo Boost Technology 2.0 support depends on the CPU types.

#### **Chipset** Intel® H67(B3)

#### **Memory** 4 x DIMM, Max. 32GB, DDR3 1333/1066 Hz Memory

Dual Channel Memory Architecture

Supports Intel® Extreme Memory Profile (XMP)

\* The XMP support (MAX 1333MHz) is subject to the physical characteristics of individual CPUs and the package of DRAM. Please refer to Memory QVL for details.

\* According to Intel® SPEC, the Max. 32GB memory capacity can be supported with DIMMs of 8GB (or above). ASUS will update QVL once the DIMMs are available on the market.

\* Refer to [www.asus.com](http://www.asus.com) or user manual for the Memory QVL (Qualified Vendors Lists).

#### **Graphic** Integrated Graphics Processor

## P8H67-M PRO

- Supports DVI with max. resolution 1920 x 1200 @ 60 Hz  
- Supports RGB with max. resolution 2048 x 1536 @ 75 Hz  
Maximum shared memory of 1748 MB

#### **Multi-GPU Support** Supports AMD Quad-GPU CrossFireX™ Technology

#### **Expansion Slots** 1 x PCIe 2.0 x16 (blue)

1 x PCIe 2.0 x16 (x4 mode, black)

2 x PCI

#### **Storage** Intel® H67(B3) chipset :

2 x SATA 6Gb/s port(s), gray

4 x SATA 3Gb/s port(s), blue

Support Raid 0, 1, 5, 10

#### **VIA VT6415 controller :**

1 x UltraDMA 133/100/66 for up to 2 PATA devices , navy blue

#### **LAN** Realtek® 8111E , 1 x Gigabit LAN Controller(s)

- Blu-ray audio layer Content Protection
- Optical S/PDIF out port(s) at back panel

### USB Ports

**Built-in Controller :**  
2 x USB 3.1 Gen 1 port(s) (2 at back panel, blue)

### Intel® H67(B3) chipset :

14 x USB 2.0 port(s) (4 at back panel, black, 10 at mid-board)

### ROG Exclusive Features

**Overclocking Protection :**  
- ASUS C.P.R.(CPU Parameter Recall)

### Special Features

- Auto Tuning
- TurboV
- GPU Boost without switch

### ASUS EPU :

- EPU

### ASUS Power Design :

- 4 +2 Phase Power Design

### ASUS Protect 3.0 Technology :

- Anti-Surge Protection
- Low EMI Solution

### ASUS Exclusive Features :

- MemOK!
- AI Suite II
- ASUS UEFI BIOS EZ Mode featuring friendly graphics user interface

### ASUS Quiet Thermal Solution :

- Stylish Fanless Design Heat-sink solution
- ASUS Fan Xpert

### ASUS EZ DIY :

- ASUS CrashFree BIOS 3
- ASUS EZ Flash 2

### ASUS Q-Design :

- ASUS Q-Slot
- ASUS Q-DIMM

### Back I/O Ports

- 1 x PS/2 keyboard/mouse combo port(s)
- 1 x DVI
- 1 x D-Sub
- 1 x HDMI
- 1 x LAN (RJ45) port(s)
- 2 x USB 3.1 Gen 1
- 4 x USB 2.0
- 1 x Optical S/PDIF out
- 6 x Audio jack(s)

### Internal I/O Ports

- 5 x USB 2.0 connector(s) support(s) additional 10 USB 2.0 port(s)
- 1 x IDE connector(s)
- 1 x TPM connector(s)
- 1 x COM port(s) connector(s)
- 2 x SATA 6Gb/s connector(s)
- 4 x SATA 3Gb/s connector(s)
- 1 x CPU Fan connector(s) (4 -pin)
- 1 x Chassis Fan connector(s) (4 -pin)
- 1 x Power Fan connector(s) (3 -pin)
- 1 x S/PDIF out header(s)
- 1 x 24-pin EATX Power connector(s)
- 1 x 8-pin ATX 12V Power connector(s)
- 1 x Front panel audio connector(s) (AAFP)
- 1 x System panel(s)
- 1 x MemOK! button(s)

## Accessories

User's manual  
I/O Shield  
1 x UltraDMA 133/100 cable(s)  
2 x SATA 6Gb/s cable(s)

**BIOS** 32 Mb Flash ROM , EFI BIOS, PnP, DMI2.0, WfM2.0, SM BIOS 2.5, ACPI 2.0a, Multi-language BIOS, ASUS EZ Flash 2, ASUS CrashFree BIOS

3

**Manageability** WfM 2.0, DMI 2.0, WOL by PME, WOR by PME, PXE

## Support Disc

Drivers  
Anti-virus software (OEM version)  
ASUS Update  
ASUS Utilities

## Form Factor

uATX Form Factor  
9.6 inch x 9.6 inch ( 24.5 cm x 24.5 cm )



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information on locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.
- \*Precise specifications and features vary by model . Please refer to the specification page
- The product (electrical , electronic equipment, Mercury-containing button cell battery) should not be placed in municipal waste. Check local regulations for disposal of electronic products.

Want More?

---

Who We Are

---

Need Help?

---

Community

---

Global / English

[Terms of Use Notice](#) | [Privacy Policy](#) | ©ASUSTeK Computer Inc. All rights reserved.